

OFFICE OF CAMPUS PLANNING & OPERATIONS

ARCHITECTURAL REVIEW BOARD MEETING NOTIFICATION

July 17th 2025

Dear Chautauquan,

The owner of 37 Hurst, Alan E Nelson, is requesting to come before the Architectural Review Board for the scope of work replacing the existing windows for the building with compliant wooden windows. The scope of work proposes the removal of the existing wooden windows for the building with complaint wood windows. Therefore, this project requires an Architectural Review Board review for the following considerations required as a part of this proposal's scope of work.

Variances/Requests being considered:

1. Variance for the removal of the existing windows at the property to be replaced with compliant wooden windows (Architectural and Land Use Regulations Section 4.2.2.3)

You are receiving this notification because your property is approximately within 150' of the proposed project site. Plans for this project's scope of work may be reviewed online at the Architecture Review Board (ARB) News and Notes Page at the following link:

www.chq.org/ARB

The Architectural Review Board will meet on August 21st 2025 at 12:00pm Noon in the Turner Community Center Conference Room. Please submit any comments that you may have in writing for the Architectural Review Board's consideration. E-mails are preferred and may be submitted to the Administrator of Architectural and Land Use Regulations at arb@chq.org until 12:00pm noon the day before on August 20th 2025 at 12:00pm Noon. Thank you for your time!

Respectfully,

Ryan B. Boughton, Assoc. AIA

Administrator of Architectural and Land Use Regulations

rboughton@chq.org | o: 716.357.6245

	Office Use	同亚织亚同	
Application Received: Request Investigated by	In Person By Mail By Email	Date	
Permit Approved:	() YES () NO	Date	
Recommend to ARB:	() YES() NO	Date	
ARB Approval:	() YES() NO	Date	
Permit Issued By	Permit Number	Date	— : 163:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 140:00 1
Other Notes			
Website link:	www.chg.org/construct	ion-resources	

ARCHITECTURAL AND LAND USE COMPLIANCE CERTIFICATE APPLICATION

Chautauqua Institution has specific regulations for ALL construction, landscaping, and use of properties on the grounds. <u>All construction work</u> (except routine maintenance; non-structural interior alteration or finishes; minor interior mechanical systems modifications; exterior painting) must first be reviewed and approved by the Administrator of Architectural and Land Use Regulations prior to starting work on-site. (See Compliance Process Matrix 6.3 in the Architectural and Land Use Regulations). A current, valid Compliance Certificate issued by Chautauqua Institution's Office of Campus Planning MUST BE POSTED on the site for the duration of the approved project work.

PLEASE FILL IN THE FOLLOWING INFORMATION:

	PLEASE FILL IN THE FOLLOWING INFORMATION.
A)	Property Owner's Name Alan Nelson
	Chautauqua Address 37 Hurst Ave
	Permanent Address 8684 Woodbrian Szrsota FL 34238
	Owner's Phone # Owner's Cell #
	Owner's E-mail harleynelson 37 @ gmail
B)	Construction Site House Number 37 Hurst Unit #
C)	CHQ District of Construction Site: () Mixed Use Core () Neighborhood Suburban () Miller Park () Highlands () Suburban Multi-Family
D) Pri	me Contractor Contact / Construction Manager (Names, Phone Numbers, E-mail address)
	Contractor Authorization Certificate - Company Name
	Subcontractor (Manager Names & Contact Information)
	Contractor Authorization Certificate - Company Name
	Subcontractor (Manager Names & Contact Information)
	Contractor Authorization Certificate - Company Name
E.1)	Type(s) of Work To Be Performed:() Interior Structural Alterations () Foundations () Driveways/Walks/Patios () Window changes/replacements () New Awning () Demolition () Renovation () Reconstruction () Garage () Additions () New Construction () Exterior HVAC/ Mechanical Units () Roofs () Porches/Decks/Patios/Pergolas/Balconies () Site Features or Change of Grade () Other Is new windows main house Andersen Renewal-match old Windows - Identical

E.2)	Description of Work (Attach additional sheets and/or drawings if available):							
=)	Date Work Is Expected To Begin May 27 To Finish By May 29 To							
G)	Selected historic preservation classification: (See 4.12 in Regulations)							
	() Preservation () Reconstruction () Rehabilitation ()Restoration							
H)	Proposed Materials: (plastic, vinyl are prohibited)							
)	Identify the industry recognized architectural style:							
l)	Identify tree disturbances (within canopy) and/or proposed removals:							
<)	Describe how site drainage during construction and after construction will be managed in compliance with Regulations (attach drawings if applicable):							
.)	Describe how you will manage legal off-street parking on the project site:							
/ 1)	THE INSTITUTION STAFF CANNOT GRANT SPECIAL EXCEPTIONS TO, OR VARIANCES FROM, THE ARCHITECTURAL AND LAND USE REGULATIONS. PLEASE INDICATE BELOW IF THE WORK IS SUCH THAT ACTION FROM THE ARCHITECTURAL REVIEW BOARD (ARB) IS REQUIRED.							
	Variance Is Being Requested Special Exception is Requested YES NO NO							
	Describe Variances/Exception Requested							
J)	Lot Size, Intensity, Impervious Surface Ratio: (See Regulations for definitions)							
	Lot Width: Lot Area: Floor/Area Ratio:							
	Impervious Surface Ratio:							
))	Height to Eave: Height to Highest Ridge/Point:							

P)	I agree to reimburse Chautauqua Institut any road surface and/or right-of-way res YESNO	ion for all costs, re ulting from constru	pairs and/or construction to ction activities
Q)	I agree to abide by the Rules & Regulational Land Use Regulations:YES		stitution and the Architectural
R)	I understand that financial penalties appl Regulations and I agree to pay such fine	ly for violations of the sif violations occu	he Architectural and Land Use r:NO
	For information regarding penalties, reference Land Use Regulations as well as the Cha	r to the <u>Chautauqua</u> <u>utauqua Institution</u>	a Institution Architectural and Rules and Regulations.
	Liens will be placed upon properties for u	unpaid penalties.	
	Repeat or obstinate offenders will be place for Contractor Certification.	ed on a list and ba	nned from any future eligibility
	Compliance Certif	ficate Review Fee	<u>s :</u>
	All exterior or interior projects Additions to existing buildings New construction and substant All cases going to the ARB	3	\$35 \$90 \$200 \$310
Fees	and Penalties are reviewed annually by the Bo	pard of Trustees and	may change without notice.
Ackn	owledgement:		
Chau above	erstand that by signing this document I ago tauqua Institution and the Architectural and e information is true and correct to the bes e to pay the listed penalties in the instance	d Land Use Regula t of my knowledge	ations. I also certify that the
ے Prope	Clan E Nelson erty Owner's Signature ***	-	May 7, 3015
Prime	e Contractor / CM's Signature		Date
BY C	E: ALL CONTRACTORS MUST HAVE A C HAUTAUQUA INSTITUTION PRIOR TO F UNDS OF CHAUTAUQUA INSTITUTION.	PERFORMING CO	AUTHORIZATION ISSUED NSTRUCTION ON THE

No changes shall be made in such work that deviate from that submitted without the prior approval of the Institution. The issuance of a Compliance Certificate is in addition to and not in substitution for required permits issued by appropriate governmental authorities, and authority having jurisdictions, such as the Town of Chautauqua and the Chautauqua Utility District.

IMPORTANT CONTACT INFORMATION:

Campus Planning & Operations Office

1 Ames Avenue P.O. Box 28

O: 716-357-6245 F: 716-357-9014

Chautaugua, NY 14722

Jennifer Majewski

Ryan Boughton

Administrative Assistant

716-357-6245 imajewski@chq.org

Administrator of Architectural and Land Use Regulations

716-357-6267

rboughton@chg.org

John Shedd

Vice President of Campus Planning and Operations

716-357-6245 ishedd@cha.ora

Buildings/Grounds/Gardens Assistant

716-357-6208

ahummel@chq.org

Jack Munella

Amy Hummel

Director of Buildings and Grounds

716-357-6237 imunella@chq.org

Betsy Burgeson

Gardens Supervisor

716-357-6326

bburgeson@chq.org

Chautauqua Institution Safety & Security:

Billy Leone

Chief of Campus Safety & Security

716-357-6225

(non-emergency line)

Town of Chautaugua:

Frank Watson

NYS Code Enforcement Official

716-753-3433

Other:

Chautaugua Utility District Office **CUD Wastewater Management**

716-357-5865

716-357-8137

NY State Call Before You Dig

811

ALL DOCUMENTS ARE AVAILABLE FOR DOWNLOAD ON THE CHQ PROPERTY AND CONSTRUCTION RESOURCES WEBSITE

Printed copies of the Architectural and Land Use Regulations can be obtained from the Campus Planning & Operations Office for a \$10 printing fee.

Website link: www.chq.org/construction-resources



Est install date: 10/25



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722

H: (724)388-0197

Installation Package

37 HURST AVE

CHAUTAUQUA, NY 14722

Installer: _	
Date:	

R-Force:

Spreadsheet:

Email: □ Notes: □

INSERTS: 18

Updated 6/17/24

BUYER

ALAN NELSON

37 HURST AVE

CHAUTAUQUA, NY 14722

H: (724)388-0197

Year Built: 1915

HARLEYNELSON37@GMAIL.COM

Est. Duration: 3 days

REPRESENTATIVE

David Piechowiak

(716)277-8387

dpiechowiak.rba@gmail.com

TECH MEASURE

Michael Vertino

mvertino@rbadifference.com

\$20,173.00 Remaining total to be financed through GREENSKY: EXP. 5/25/2025

Window ETA: 8/6/2024

dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,



Scope of Work

Customer Name: NELSON, ALAN Order #: 03835025 LSWP: Miles: 76 Scaffoldi Proxy: Permit received: Permit Ne 3rd Party Construction: SP Notes: MOVE SCREW HOLES LOW 32 FT LADDER REQUIRED (18/UNITS) INSULATE WEIG EXTERIOR AWNINGS AND	CC Available: \$600.00 ng: Call en route: eeded: Del date: 8/6/24 ECIAL ORDER: WER FOR WEIGHT POCKET	Inserts: 18 RO: [0] Removals: (18) STORM WII	NDOWS
PULL FROM STOCK STOPS CASING	PARTS ARRIVING WITH O Part Qty Entry Doors Cladding: Transoms & Sidelites:	Color Stock? Smo	Unassembled: Active: Panel Stop:
Flashing Tape Needed? Nailing Flanges: Gasket Corner Flanges: Narrow gusset Plates: Flexible J Channel: Fibrex L-Trim: Int. Flat Trim: Special Order details:	Roof: Drip Edge: Shingles:	Hardware: ScreenTrack: Drip Cap: Sill Insert: Screens:	Ext Lock: Joining Kit: FG Mull Kit: Panel Astragal: Oak Threshold w/ Screws:

GS 7/22/24



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp, | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

ID#	ROOM	SIZE		DETAILS
JOB				
101	den	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
102	den	29" 28 "	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
103	living room	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613 Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference_com Measure Tech: Michael Vertino, ALAN NELSON

ID#	ROOM	SIZE		DETAILS
104	living room	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG). 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with Heallinck Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL
105	dining room	20" 20"	38" 41"	(1). KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05). Spray Foam (0.1) Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill. Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass. No Pattern Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05), Spray Foam (0.1)
106	dining room	20" 20"	38" 41"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h_Sash 2* No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

ID#	ROOM	SIZE		DETAILS
107	dining room	29" 28"	38" 41"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
109	kitchen	29" 28"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG). 1:1, Flat Sill, Insert Frame. Traditional Checkrail. Exterior Canvas. Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass. No Pattern Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1). KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05). Spray Foam (0.1)
110	kitchen	29" 28"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame. Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp., I License # (null) 80 Newbury St., I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

ID#	ROOM	SIZE		DFTAILS
111	kitchen hall	29" 28"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrait, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with Heall nek Glass. No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims 1/16 (0.05), Spray Foam (0.1)
112	bathroom up	29" 28"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill. Insert Frame. Traditional Checkrail, Exterior Canvas. Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass. No Pattern. Tempered Glass Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1). KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
113	2nd floor living	20" 19-3/4"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame. Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass: No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w + 2h Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

ID#	ROOM	SIZE		DETAILS
114	2nd floor living	20" 19-3/4"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG). 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
115	2nd floor living	29" 28"	45" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill. Insert Frame. Traditional Checkrail, Exterior Canvas. Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass. No Pattern Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1). STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05). Spray Foam (0.1)
116	bed rooms up stairs	29" 28"	46" 45-1/2"	Window: Acclaim TM Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name, PAS Corp. I License # (null) 80 Newbury St | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

ID#	ROOM	SIZE		DETAILS
117	bed rooms up stairs	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG). 1:1. Flat Sill. Insert Frame. Traditional Checkrall. Exterior Canvas. Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with Heallinck Glass. No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05), Spray Foam (0.1)
118	bed rooms up stairs	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame. Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass. No Pattern Hardware: White Screen: Fiberglass. Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1). KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)
119	bed rooms up stairs	29" 28"	46" 45-1/2"	Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill, Insert Frame. Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grilla Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1) KERI CUI (1) Material: Coil - Canvas (O.1); Shims 1/15 (O.05), Spray Foam (0.1)

PRODUCTS: 19 WINDOWS: 18 PATIO DOORS: 0 ENTRY DOORS: 0 SPECIALTY: 0 MISC: 1

Updated 6/17/24

JOB NOTES

All exterior insulation ,,, insulate weight pockets 32 foot ladder required

Full trim wrap in canvas

Awning will before removed prior to installation ,, kerf cut around existing exterior casing for coil

Estimated Duration: 3 days



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp., I License # (null) 80 Newbury St., I Rochester, NY 14613


Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

FLOORPLAN - 1ST FLOOR



UNIT NOTES

1% fuel charge

- 101 Exterior install , insulate weight pockets kerf exterior for coil
- **102** Exterior install , insulate weight pockets kerf exterior for coil
- 103 Exterior install , insulate weight pockets kerf exterior for coil
- 104 Exterior install , insulate weight pockets kerf exterior for coil
- 105 Exterior install , insulate weight pockets kerf exterior for coil
- 106 Exterior install , insulate weight pockets kerf exterior for coil
- 1 0 7 Exterior install , insulate weight pockets kerf exterior for coil
- 109 Exterior install , insulate weight pockets kerf exterior for coil
- 110 Exterior install , insulate weight pockets kerf exterior for coil
- 111 Exterior install , insulate weight pockets kerf exterior for coil
- 112 Exterior install , insulate weight pockets kerf exterior for coil
- 113 Exterior install , insulate weight pockets kerf exterior for coil
- 114 Exterior install , insulate weight pockets kerf exterior for coil

^{*}See individual units for more notes.



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613


Phone 585-458-1220 | Fax 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

FLOORPLAN - 2ND FLOOR



UNIT NOTES

JOB PHOTOS



Image 1



Image 4




Image 2



Image 5



Image 3



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St., I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON 37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197



den 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. I Rochester, NY 14613 Phone: 585-458-1220 | Fax. 585-458-1816 | CSalamone@rbadifference.com Measure Tech: Michael Vertino,

ALAN NELSON 37 HURST AVE

1

CHAUTAUQUA, NY 14722 H: (724)388-0197

102 28" W 45-1/2" H
Window, Double-Hung (DG)



Window: Acclaim^{TVI} Double-Hung (DG), 1:1, Fiat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1). KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

KERF CUT

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON 37 HURST AVE

CHAUTAUQUA, NY 14722 H: (724)388-0197

103

living room 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h. Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 Ht (724)388-0197



living room 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim^{TO} Double-Hung (DG), 1.1. Fint Sill, Insert Frame, Traditional Checkrall, Exterior Canvas, Interior White **Performance Calculator:** PG Rating: 40 | DP Rating: + 40 / - 40 **Glass:** All Sash: High Performance SmartSun with HeatLock Glass, No Pattern **Hardware:** White **Screen:** Fiberglass, Full Screen **Grille Style:** Grilles Between Glass (GBG) **Grille Pattern:** Sash 1: Colonial 3w x 2h, Sash 2: No Grille **Misc:** None **Construction:** INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) **Material:** Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

KERF CUT

1

1

1

UNIT MATERIALS

TRIM Coil - Canvas

0.1 rolls

MATERIAL Shims - 1/16

0.05 boxes

MATERIAL Spray Foam

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. 1 Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON 37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

dining room 41" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION		
INSULATE WEIGHT POCKETS	1	
STORM WINDOW REMOVAL	1	
KERF CUT	1	
UNIT MATERIALS		

0.1 rolls Coil - Canvas TRIM

0.05 boxes MATERIAL Shims - 1/16

0.1 tubes **MATERIAL** Spray Foam



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Lega! Name, PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613 Phone, 585-458-1220 | Fax. 585-458-1816 | CSalamone@rbadifference.com Measure Tech: Michael Vertino, ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

106

dining room 20" W 41" H Window, Double-Hung (DG)



Window: Acclaim™ Double Hung (DG), 1:1. Flat Sill, Insert Frame, Traditional Checkrain, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

1

STORM WINDOW REMOVAL

1

KERF CUT

1

UNIT MATERIALS

TRIM

Coil - Canvas

0.1 rolls

MATERIAL Shims - 1/16

0.05 boxes

MATERIAL Spray Foam

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

107

dining room 28" W 41" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

UNIT MATERIALS

KERF CUT

TRIM Coil - Canvas

MATERIAL Shims - 1/16

MATERIAL Spray Foam

0.1 rolls

1

1

0.05 boxes

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name, PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613 Phone: 585,458,1330 | Fay: 685,458,1016 | G

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino.

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197



kitchen 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill. Insert Frame. Traditional Checkrall, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

ē

KERF CUT

1

1

1

UNIT MATERIALS

TRIM

Coil - Canvas

MATERIAL Shims - 1/16

MATERIAL Spray Foam

0.1 rolls

0.05 boxes

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

kitchen 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613 Phone: 585-458-1220 I Fax: 585-458-1816 I CSalamone@rbadifference.com Measure Tech: Michael Vertino, **ALAN NELSON**

1

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

111

kitchen hall 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Silf, Insert Frame, Traditional Checkrall, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

STORM WINDOW REMOVAL

KERF CUT

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes

UNIT PHUTUS



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON 37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

112

bathroom up 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern, Tempered Glass Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1

UNIT MATERIALS

TRIM	Coil - Canvas	0.1 rolls
MATERIAL	Shims - 1/16	0.05 boxes
MATERIAL	Spray Foam	0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613 Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com Measure Tech: Michael Vertino, ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

113

2nd floor living 19-3/4" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05). Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

UNIT MATERIALS

KERF CUT

TRIM Coil - Canvas

MATERIAL Shims - 1/16

MATERIAL Spray Foam

0.1 rolls

1

1

0.05 boxes

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null) 80 Newbury St. I Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

114

2nd floor living 19-3/4" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 2w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1). STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1
UNIT MATERIALS	

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613 Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com Measure Tech: Michael Vertino, ALAN NELSON

1

1

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

115

2nd floor living 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill, Insert Frame. Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL 1

KERF CUT

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



lmage 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. I License # (null)
80 Newbury St. I Rochester, NY 14613
Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com
Measure Tech: Michael Vertino.

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

bed rooms up stairs
28" W 45-1/2" H
Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1. Flat Sill, Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION		
INSULATE WEIGHT POCKETS	1	
STORM WINDOW REMOVAL	1	
KERF CUT	1	

UNIT MATERIALS

TRIM Coil - Canvas 0.1 rolls

MATERIAL Shims - 1/16 0.05 boxes

MATERIAL Spray Foam 0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197



bed rooms up stairs 28" W 45-1/2" H Window, Double-Hung (DG)



Window: AcclaimTM Double-Hung (DG). 1:1. Flat Sill, Insert Frame, Traditional Checkrall, Exterior Canvas, Interior White **Performance Calculator:** PG Rating: 40 | DP Rating: +40 / -40 **Glass:** All Sash: High Performance SmartSun with HeatLock Glass, No Pattern **Hardware:** White **Screen:** Fiberglass, Full Screen **Grille Style:** Grilles Between Glass (GBG) **Grille Pattern:** Sash 1: Colonial 3w x 2h, Sash 2: No Grille **Misc:** None **Construction:** INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) **Material:** Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

KERF CUT

1

1

1

UNIT MATERIALS

TRIM

Coil - Canvas

MATERIAL Shims - 1/16

21111112 - 1/10

MATERIAL Spray Foam

0.05 boxes

0.1 rolls

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613

Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com

Measure Tech: Michael Vertino,

ALAN NELSON37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

118

bed rooms up stairs 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double-Hung (DG), 1:1, Flat Sill. Insert Frame, Traditional Checkrail, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: + 40 / - 40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1), Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION	
INSULATE WEIGHT POCKETS	1
STORM WINDOW REMOVAL	1
KERF CUT	1

UNIT MATERIALS

TRIM Coil - Canvas

0.1 rolls

MATERIAL Shims - 1/16

0.05 boxes

MATERIAL Spray Foam

0.1 tubes



Image 1



dba: RENEWAL BY ANDERSEN OF WESTERN NEW YORK

Legal Name: PAS Corp. | License # (null) 80 Newbury St. | Rochester, NY 14613 Phone: 585-458-1220 | Fax: 585-458-1816 | CSalamone@rbadifference.com Measure Tech: Michael Vertino, **ALAN NELSON**

37 HURST AVE CHAUTAUQUA, NY 14722 H: (724)388-0197

119

bed rooms up stairs 28" W 45-1/2" H Window, Double-Hung (DG)



Window: Acclaim™ Double Hung (DG) 1:1 Flat Sill, Insert Frame, Traditional Checkraii, Exterior Canvas, Interior White Performance Calculator: PG Rating: 40 | DP Rating: +40 / -40 Glass: All Sash: High Performance SmartSun with HeatLock Glass, No Pattern Hardware: White Screen: Fiberglass, Full Screen Grille Style: Grilles Between Glass (GBG) Grille Pattern: Sash 1: Colonial 3w x 2h, Sash 2: No Grille Misc: None Construction: INSULATE WEIGHT POCKETS (1), STORM WINDOW REMOVAL (1), KERF CUT (1) Material: Coil - Canvas (0.1). Shims - 1/16 (0.05), Spray Foam (0.1)

UNIT NOTES

Exterior install, insulate weight pockets kerf exterior for coil

UNIT CONSTRUCTION

INSULATE WEIGHT POCKETS

STORM WINDOW REMOVAL

KERF CUT

1

1

UNIT MATERIALS

TRIM Coi

Coil - Canvas

MATERIAL Shims - 1/16

MATERIAL Spray Foam

0.1 rolls

0.05 boxes

0.1 tubes



Image 1

Materials Checklist

ALAN NELSON
37 HURST AVE
CHAUTAUQUA, NY 14722
H: (724)388-0197

CATEGORY	DESCRIPTION	QUANTITY
This list includes the su	um total all of the materials for the entire job.	
MATERIAL	Shims - 1/16	1 boxes
MATERIAL	Spray Foam	2 tubes
TRIM	Coil - Canvas	2 rolls

Nelson Windows colors and styles

Color

Exterior

<u>Interior</u>





Canvas

White

18 Double Hung Windows



Double-Hung Window

Fiberglass Screens

Grills between Glass



Colonial Specific number of squares per sash.



Products and Installation Transferable Limited Warranty

Units installed after May 1, 2021

Your Renewal by Andersen® products are warranted under a fully transferable limited warranty covering parts, labor, and original installation services.



Transferable Limited Warranty on Glass

The glass in Renewal by Andersen factory glazed windows (including high-performance Low-E4* glass, high-performance Low-E4 Sun glass, high-performance Low-E4 SmartSun* glass, high-performance SmartSun glass with HeatLock* technology, patterned glass [including obscure, fern. reed and cascade designs]). Finelight grilles, divided light grilles, and tempered versions of these glass options is warranted to be free from defects in manufacturing, materials, and workmanship for twenty (20) years from the original installation date. It is also warranted not to develop, under normal conditions, any material change in appearance resulting from manufacturing defects or as a result of premature failure of the glass or organic seal for twenty (20) years from the original installation date. This limited warranty on glass does not apply to special order glazings, art glass, insulated art glass, impact-resistant glass, or glass that is not factory installed by Renewal by Andersen.

In the event a glass failure occurs as a result of a defect in manufacturing, materials, or workmanship within the limited warranty period. Renewal by Andersen, at its option, will: [1] provide and install the appropriate replacement glass product or [2] provide a factory-authorized repair to the existing glass. Such replacement or repair is warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Fibrex® Material Components

The Fibrex® material components of your Renewal by Andersen windows (including frame, sash, and exterior grilles) are warranted not to flake, rust, blister, peel, crack, pit, or corrode and be free from defects in manufacturing, materials, and workmanship for a period of twenty (20) years from the original installation date.

In the event a Fibrex material component fails as a result of a defect in manufacturing, materials, or workmanship within the limited warranty period, Renewal by Andersen, at its option, will: [1] provide and install the appropriate replacement parts or [2] provide a factory-authorized repair to the existing product. Such replacement or repair is warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Components Other Than Glass

The non-glass portions of your Renewal by Andersen windows (including non-electric operators, locks, lifts, balance systems, hinges, handles, insect screens, weatherstripping, sash, and frame members) are warranted to be free from defects in manufacturing, materials, and workmanship for a period of ten (10) years from the original installation date.

In the event a component other than glass fails as a result of a defect in manufacturing, materials, or workmanship within the limited warranty period, Renewal by Andersen, at its option, will: {1} provide and install the appropriate replacement parts or [2] provide a factory-authorized repair to the existing product. Such replacement or repair is warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Exterior Color Finish

The color finish on the Fibrex® material exterior components (frame, sash, window sills, and grilles) on Renewal by Andersen windows is warranted to be free from manufacturing defects resulting in color fade greater than 5 delta-e* measured in accordance with ASTM D2244 for a period of ten (10) years from the original installation date,

What is not covered by this exterior color finish warranty: weatherstripping, accessories, and hardware, including insect screen frames, handles, trim sets, lock components, exterior trim profiles, and exterior aluminum coil stock,

In the event there is a defect covered by this limited warranty for exterior color finish within the limited warranty period, Renewal by Andersen, at its option, will: [1] refinish the product – labor is included (the finish will be applied with standard commercial refinishing techniques and may not be the same finish as originally applied to the product) or [2] repair or replace the product. Such replacement parts or repairs are warranted for the remainder of the original limited warranty period.

Transferable Limited Warranty on Installation

Installation of your Renewal by Andersen windows or other Andersen window and/or door products by an authorized Renewal by Andersen contractor is warranted for a period of two (2) years from the date of original installation. During this period, should your Renewal by Andersen window or door fail to perform according to our specifications due to improper original installation, we will bring the workmanship up to our professional standards, at no cost to you.

This limited warranty on installation does not extend to labor/services performed by anyone other than the original authorized installer or other authorized Renewal by Andersen contractor, nor to the installation or repair of any finishing or other materials that have been applied to – or adjacent – to the product after the initial installation.

No Other Warranties or Representations

This limited warranty is in lieu of all other warranties, express or implied, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. All warranties are limited to the applicable statute of limitations, but in no case will extend beyond the limited warranty periods specified above. Renewal by Andersen excludes and will not be liable for any incidental or consequential damages, whether arising out of contract, tort, or otherwise. The remedy of repair or replacement of the actual purchase price of the product provided by this limited warranty is the exclusive remedy with respect to any and all loss or damage.

Applicable Law

This Limited Warranty is only applicable in the U.S.A. (i.e., the fifty states and the District of Columbia) and Canada. This Limited Warranty gives you specific legal rights, and you may have other rights which vary from state to state or province. Some states do not allow the exclusion or limitation of incidental or consequential damages or limitation of the duration of an implied warranty, so the above limitations or exclusions may not apply to you. If any specific term of this Limited Warranty is prohibited by any applicable law, it shall be null and void, but the remainder of this Limited Warranty shall remain in full force and effect.

Workers' Compensation Law

Section 57. Restriction on issue of permits and the entering into contracts unless compensation is secured.

- 1. The head of a state or municipal department, board, commission or office authorized or required by faw to issue any permit for or in connection with any work involving the employment of employees in a bazardous employment defined by this chapter, and notwalistanding any general or special statute requiring or authorizing the issue of such permits, shall not issue such permit unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair that compensation for all employees has been secured as provided by this chapter. Nothing herein, however, shall be construed as creating any fiability on the part of such state or municipal department, issued commission or office to pay any compensation to any such employee it so employed.
- 2. The head of a state or municipal department, board, commission or office authorized or required by face to order into any contract for or the connection with any work involving the employment of employees in a hazardous employment defined by this chapter, notwithstanding any general or special statute requiring or authorizing any such contract, shall not enter into any such contract unless proof duly subscribed by an insurance carrier is produced in a form satisfactory to the chair, that compensation for all employees has been secured as provided by this chapter.

100

What Is Not Covered by This Limited Warranty Specific Additional Exclusions

In addition to any other limitations or exclusions in this Limited Warranty, Renewal by Andersen shall have no obligation for product failure, damage, or costs due to or related to the following:

- · Product modifications or glass shading devices (e,g., glass tinting, security systems, improper painting or staining, insulated coverings, etc.)
- · Failure due to the application of non Renewal by Andersen hardware (e.g., locksets, trim sets, hinges, panic hardware, closers, etc.)
- · Water infiltration other than as a result of a defect in manufacturing, materials. or workmanship
- · Failure as a result of settling or structural failure of the structure in which the products are installed
- \cdot Condensation, other than as a result of a defect in manufacturing, materials, or workmanship
- Improper maintenance, such as use of brick wash, razor blades, sealants, sanding, or improper washing
- · Failure to properly seal and maintain the exposed wood portions and veneer of a product in accordance with Renewal by Andersen painting or staining guidelines
- *Fading of furniture, flooring, window coverings, or other surrounding materials
- Chemicals or airborne pollutants, such as salt or acid rain
- Accidents
- Acts of God
- Normal wear and tear

Additional Items Excluded From This Limited Warranty:

- · Products not manufactured by Renewal by Andersen
- Installation services by other than authorized Renewal by Andersen installers
- Removal of Renewal by Andersen windows from the structure in which it was originally installed by anyone other than an authorized Renewal by Andersen installer
- The performance of the low-maintenance exterior glass coating on products with high-performance Low-E4® glass performance will vary depending on environmental conditions
- · Slight glass curvature, minor scratches, or other imperfections in the glass that do not impair structural integrity or significantly obscure normal vision
- · Rattling of grille bars within an air space
- Insects passing through or around the insect screen
- · Tarnish or corrosion to hardware finishes
- · Special glazings contact us concerning the limited warranty on special glazings
- \cdot Art glass, decorative insulated art glass, and impact-resistant glass
- Renewal by Andersen Series 2 windows and patio doors, Andersen® A-Series windows and doors, 400 Series and 200 Series windows and doors, 400 Series windows with Stormwatch protection and impact-resistant glass. 100 Series windows and doors, storm doors, E-Series windows and doors, Silver Line windows and doors. American Craftsman windows, and doors and Weiland windows and doors have their own limited warranties and are not covered by this Limited Warranty. For information on warranty coverage for these products, please refer to the specific limited warranties for these products, available at andersenwindows.com.

Warranty Claim Procedure

To make a claim under this Limited Warranty, contact the nearest Renewal by Andersen® showroom, our Warranty Service Line at 800-441-1109, or visit our website at renewalbyandersen.com.

We will contact you to investigate your claim within approximately two weeks after notification and arrange for appropriate action. Warranty services may be provided by Renewal by Andersen and/or an authorized Renewal by Andersen service provider. You can help us serve you faster by providing the following important information:

- •The serial number of the affected product (located on a label affixed to the top or side of the window frame)
- Description of the product concerns
- Documentation of the purchase date, if available
- Your name, address (with zip code) where product is installed, and telephone numbers

Non-Warranty Repair

You will be responsible for all costs related to any repair that is not covered by this Limited Warranty or which is outside of the limited-warrant period. When warranty coverage is unclear, Renewal by Andersen may charge an inspection fee for any on-site product inspections. If the inspector determines the Renewal by Andersen product has a defect covered by this Limited Warranty, the inspection fee will be waived.



RENEWAL
by ANDERSEN
FULL-SERVICE WINDOW & DOOR REPLACEMENT

.